

An Empirical Study of Selective Optimization (2000) [\(Make](#)[Corrections\)](#) [\(8 citations\)](#)Matthew Arnold, Michael Hind, Barbara G. Ryder
Lecture Notes in Computer Science

View or download:

ibm.com/jalapeno/papers/lcpc00.psCached: [PS.gz](#) [PS](#) [PDF](#) [Image](#) [Update](#) [Help](#)**CiteSeer**[Home/Search](#) [Bookmark](#) [Context](#) [Related](#)From: ibm.com/people/h/hind/papers [\(more\)](#)
[\(Enter author homepages\)](#)Links: [ACM](#) [DBLP](#)[\(Enter summary\)](#)

Rate this article: 1 2 3 4 5 (best)

[Comment on this article](#)

Abstract: . This paper describes an empirical study of selective optimization using the Jalapeño Java virtual machine. The goal of the study is to provide insight into the design and implementation of an adaptive system by investigating the performance potential of selective optimization and identifying the classes of applications for which this performance can be expected. Two types of offline profiling information are used to guide selective optimization, and several strategies for selecting the... [\(Update\)](#)

Context of citations to this paper: [More](#)

...idle processors; the combination of which, to our knowledge, has not been examined and published prior. In other work, Arnold, et al. [25] uses profiles to guide static compilation. The goal of this project was to determine the performance potential of dynamic, adaptive...

.... optimization approach avoids the overhead of optimizing all methods, yielding larger performance improvements for shorter running programs [7]. Long running applications, such as server applications, will easily amortize the cost of optimizing all methods, for Fixed, in part,...

Cited by: [More](#)Online Profiling And Feedback-Directed Optimization Of Java - Arnold (2002) [\(Correct\)](#)Speedup Prediction for Selective Compilation of.. - de Verdiere.. [\(Correct\)](#)A Framework for Reducing the Cost of Instrumented Code - Arnold, Ryder (2001) [\(Correct\)](#)

Similar documents (at the sentence level):


13.5%: An Empirical Study of Selective Optimization - Arnold, Hind, Ryder (2000) [\(Correct\)](#)Active bibliography (related documents): [More](#) [All](#)**1.8:** Adaptive Optimization in the Jalapeño JVM - Arnold, Fink, Grove, Hind, Sweeney (2000) [\(Correct\)](#)**0.4:** Dynamic Optimization through the use of Automatic Runtime.. - Whaley (1999) [\(Correct\)](#)**0.3:** The Jalapeño Dynamic Optimizing Compiler for Java - Burke, Choi, Fink.. (1999) [\(Correct\)](#)Similar documents based on text: [More](#) [All](#)**0.3:** Unknown - Heck Heckbert Filtering (1992) [\(Correct\)](#)**0.1:** Adaptive Optimization in the Jalapeño JVM.. - Arnold, Fink.. [\(Correct\)](#)**0.1:** Online Feedback-Directed Optimization of Java - Arnold, Hind, Ryder (2002) [\(Correct\)](#)Related documents from co-citation: [More](#) [All](#)**6:** Practicing JUDO: Java Under Dynamic Optimizations (context) - Cierniak, Lueh et al. - 2000**5:** Dynamo: A Transparent Dynamic Optimization System - Vasanth, Duesterwald et al. - 2000**5:** Continuous Program Optimization (context) - Kistler - 1999BibTeX entry: [\(Update\)](#)

M. Arnold, M. Hind, and B. G. Ryder. An empirical study of selective optimization. In 13th International Workshop on Languages and Compilers for Parallel Computing, Aug. 2000. <http://citeseer.ist.psu.edu/arnold00empirical.html> [More](#)

```
@article{ arnold01empirical,
  author = "Matthew Arnold and Michael Hind and Barbara G. Ryder",
  title = "An Empirical Study of Selective Optimization",
  journal = "Lecture Notes in Computer Science",
  volume = "2017",
  pages = "49--??",
  year = "2001",
  url = "citeseer.ist.psu.edu/arnold00empirical.html" }
```

Citations (may not include all citations):

- 126 A general approach for run-time specialization and its appli.. (context) - Consel, Noel - 1996 [ACM](#) [DBLP](#)
- 113 Efficient implementation of the Smalltalk-80 system - Deutsch, Schiffman - 1984 [ACM](#) [DBLP](#)
- 98 Dynamo: A transparent dynamic optimization system - Bala, Duesterwald et al. - 2000 [DBLP](#)
- 95 Making pure object-oriented languages practical - Chambers, Ungar - 1991 [ACM](#) [DBLP](#)
- 86 effective dynamic compilation (context) - Auslander, Philipose et al. - 1996
- 48 An evaluation of staged run-time optimizations in DyC (context) - Grant, Philipose et al. - 1999 [ACM](#) [DBLP](#)
- 46 Practicing JUDO: Java Under Dynamic Optimizations (context) - Cierniak, Lueh et al. - 2000 [DBLP](#)
- 38 SPEC JVM98 Benchmarks (context) - Performance, Corporation - 1998
- 28 and, V. C. Sreedhar, Harini Srinivasan, and John Whaley. The.. (context) - Burke, Choi et al. - 1999
- 28 and high-level dynamic code generation (context) - Poletto, Engler et al. - 1997
- 25 Efficient JavaVM Just-in-Time compilation - Krall - 1998 [ACM](#) [DBLP](#)
- 22 Architectural issues in Java runtime systems - Radhakrishnan, Vijaykrishnan et al. - 2000 [DBLP](#)
- 21 Continuous Program Optimization (context) - Kistler - 1999 [ACM](#)
- 18 System support for automated profiling and optimization (context) - Zhang, Wang et al. - 1997 [DBLP](#)
- 18 Efficient support for complex numbers in Java - Wu, Midkiff et al. - 1999 [ACM](#) [DBLP](#)
- 17 LaTTe: A Java VM Just-in-Time compiler with fast and efficie.. - Yang, Moon et al. - 1999 [DBLP](#)
- 15 Adaptive Systems for the Dynamic Run-Time Optimization of Pr.. (context) - Hansen - 1974
- 15 Efficient and precise modeling of exceptions for the analysi.. - Choi, Grove et al. - 1999 [ACM](#) [DBLP](#)
- 14 Dynamic specialization in the Fabius system - Leone, Lee - 1998 [ACM](#) [DBLP](#)
- 13 Efficient incremental run-time specialization for free - Marlet, Consel et al. - 1999 [ACM](#) [DBLP](#)
- 12 An infrastructure for profile-driven dynamic recompilation - Burger, Dybvig - 1998 [ACM](#) [DBLP](#)
- 9 Adaptive optimization in the Jalapeño JVM (context) - Arnold, Grove et al. - 2000
- 9 Java server benchmarks - Baylor, Devarakonda et al. - 2000 [ACM](#) [DBLP](#)
- 8 Efficient Compilation and Profile-Driven Dynamic Recompilati.. (context) - Burger - 1997 [ACM](#)
- 7 Overview of the IBM Java Just-in-Time compiler (context) - Suganama, Ogasawara et al. - 2000 [ACM](#) [DBLP](#)
- 6 White paper available at <http://java> (context) - Hotspot, architecture - 1999
- 5 Dynamic optimization through the use of automatic runtime sp.. - Whaley - 1999
- 4 Combining emulation and binary translation (context) - Hookway, Herdeg - 1997
- 4 and Ton Ngo (context) - Alpern, Attanasio et al. - 1999
- 4 Reconciling responsiveness with performance in pure object-o.. (context) - Holzle, Ungar - 1996 [ACM](#)



The graph only includes citing articles where the year of publication is known.

Documents on the same site (<http://www.research.ibm.com/people/h/hind/papers.html>): [More](#)

The Jalapeño Dynamic Optimizing Compiler for Java - Burke, Choi, Fink.. (1999) ([Correct](#))

Optimizing Java Programs in the Presence of Exceptions - Gupta, Choi, Hind (2000) ([Correct](#))

Interprocedural Pointer Alias Analysis - Hind, Burke, Carini, Choi (1999) ([Correct](#))

[Online articles have much greater impact](#) [More about CiteSeer.IST](#) [Add search form to your site](#) [Submit documents](#)
[Feedback](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



Subscribe Register
(Full Service) (Limited Service, Free)

Login

Search: ☒ The ACM Digital Library ☐ The Guide

"break-even" and JIT and selective

THE ACM DIGITAL LIBRARY

Feedback Report a prob

Terms used break-even and JIT and selective

Sort results
by

relevance

Save results to a Binder

Search Tips

☐ Open results in a new window

Try an Advanced
Try this search in

Display results

expanded form

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

Best 200 shown

1 Dynamo: a transparent dynamic optimization system

Vasanth Bala, Evelyn Duesterwald, Sanjeev Banerjia

May 2000 ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 2000 conference on Programmi
implementation, Volume 35 Issue 5

Full text available: pdf(156.03 KB)

Additional Information: full citation, abstract, references, citings, index terms

We describe the design and implementation of Dynamo, a software dynamic optimization system transparently improving the performance of a native instruction stream as it executes on the pro instruction stream to Dynamo can be dynamically generated (by a JIT for example), or it can com statically compiled native binary. This paper evaluates the Dynamo system in the latter, more ch order to emphasize the ...

2 Low power SOC's and NOC's: Disk drive energy optimization for audio-video applications

Ravishankar Rao, Sarma Vrudhula, Musaravakkam S. Krishnan

September 2004 Proceedings of the 2004 international conference on Compilers, architecture, and sy
systems

Full text available: pdf(653.24 KB)

Additional Information: full citation, abstract, references, index terms

Earlier techniques for low power speed control in disk drives running audio/video applications at the drive's speed to the data rate requirement of the host application (just-in-time speed), or ru speed, neither of which are energy-optimal in general. Starting from the theory of DC motors, w power model of a disk drive. We then analytically obtain the speed profile (function of time) that required to transf ...

Keywords: disk drive, low power, multimedia, speed control

3 Speculative execution: A new speculation technique to optimize floating-point performance w reproducibility

Mikio Takeuchi, Hideaki Komatsu, Toshio Nakatani

June 2003

Proceedings of the 17th annual international conference on Supercomputing

Full text available:  pdf(227.01 KB)

Additional Information: full citation, abstract, references, index terms

The bit-by-bit reproducibility of floating-point results, which is defined by the IEEE 754 standard such as reassociation and the use of native operations such as fused multiply-add (FMA), and th floating-point performance. Recent network-oriented languages such as Java strictly conform to their numerical computing performance becomes inherently lower than conventional languages.I a new software te ...

Keywords: IA-64, IEEE 754, Java, accuracy, bit-by-bit reproducibility, floating-point speculation instruction-level parallelism, just-in-time compiler, loop unrolling, prefetching, privatization, rea pipelining, striding

4 Document querying and transformation: Lazy XSL transformations

Steffen Schott, Markus L. Noga

November 2003

Proceedings of the 2003 ACM symposium on Document engineering

Full text available:  pdf(335.83 KB)

Additional Information: full citation, abstract, references, index terms


We introduce a lazy XSLT interpreter that provides random access to the transformation result. T pipelining of transformation sequences. Nodes of the result tree are computed only upon initial a computations have limited fan-in, sparse output coverage propagates backwards through the pip measurements with traditional eager implementations, our approach is on par for complete cove coverage becomes sparser. In contrast to eag ...

5 Data size optimizations for java programs

C. Scott Ananian, Martin Rinard

June 2003

ACM SIGPLAN Notices , Proceedings of the 2003 ACM SIGPLAN conference on Language, embedded systems, Volume 38 Issue 7

Full text available:  pdf(349.36 KB)

Additional Information: full citation, abstract, references, citings, index terms

We present a set of techniques for reducing the memory consumption of object-oriented program include analysis algorithms and optimizations that use the results of these analyses to eliminate values, reduce the sizes of fields based on the range of values that can appear in each field, and common default values or usage patterns. We apply these optimizations both to fields declared b implicit fields in the runti ...



Keywords: bitwidth analysis, embedded systems, field externalization, field packing, size optimiz specialization

6 Requirements for and evaluation of RMI protocols for scientific computing

Madhusudhan Govindaraju, Aleksander Slominski, Venkatesh Choppella, Randall Bramley, Dennis

November 2000

Proceedings of the 2000 ACM/IEEE conference on Supercomputing (CDROM)

Full text available:  pdf(306.83 KB)  Publisher Site

Additional Information: full citation, abstract, references, citings,


Distributed software component architectures provide a promising approach to the problem of b scientific Grid applications. Communication in these component architectures is based on Remot protocols that allow one software component to invoke the functionality of another. Examples inc invocation (Java RMI) and the new Simple Object Access Protocol (SOAP). SOAP has the advanta programming languages and component ...

Keywords: Distributed computing, software component systems, communication protocols, RMI, J

7 Technical correspondence: The simplest heuristics may be the best in Java JIT compilers

Jonathan L. Schilling
February 2003

ACM SIGPLAN Notices, Volume 38 Issue 2

Full text available:  pdf(1.00 MB)

Additional Information: full citation, abstract, references

The simplest strategy in Java just-in-time (JIT) compilers is to compile each Java method the first time it is executed. However, better performance can often be obtained by selectively compiling methods based on how many times they are likely to be called during the rest of the program's execution. Various heuristics are examined in the context of the Caldera UNIX Java JIT compiler. The simplest heuristics involving the number of times the method is called and the size of the method.

Keywords: JIT, Java, heuristics, just-in-time compiler, performance, selective compilation

8 A selective, just-in-time aspect weaver

Yoshiki Sato, Shigeru Chiba, Michiaki Tatsubori
September 2003

Proceedings of the second international conference on Generative programming and


Full text available:  pdf(256.62 KB)

Additional Information: full citation, abstract, references, citations, index terms

Dynamic AOP (Aspect-Oriented Programming) is receiving growing interests in both the academia and industry. It allows weaving aspects with a program at runtime, it is useful for rapid prototyping and adapting to changing requirements. Previous implementations of dynamic AOP systems suffered from serious performance penalties. This paper presents a new efficient dynamic AOP system in Java for addressing the underlying problem. This system contains two approaches. When a ...

9 Fast, effective code generation in a just-in-time Java compiler

Ali-Reza Adl-Tabatabai, Michał Cierniak, Guei-Yuan Lueh, Vishesh M. Parikh, James M. Stichnoth
May 1998 ACM SIGPLAN Notices , Proceedings of the ACM SIGPLAN 1998 conference on Programming language implementation, Volume 33 Issue 5

Full text available:  pdf(1.44 MB)

Additional Information: full citation, abstract, references, citations, index terms

A "Just-In-Time" (JIT) Java compiler produces native code from Java byte code instructions during runtime. In such a compiler, compilation speed is more important than in a traditional compiler, and algorithms must be lightweight and effective. We present the structure of a Java JIT compiler for the JVM. We describe the lightweight implementation of JIT compiler optimizations (e.g., common subexpression elimination, and elimination of ...

10 Query optimization for selections using bitmaps

Ming-Chuan Wu

June 1999 ACM SIGMOD Record , Proceedings of the 1999 ACM SIGMOD international conference on Database Management, Volume 28 Issue 2

Full text available:  pdf(1.54 MB)


Additional Information: full citation, abstract, references, citations, index terms

Bitmaps are popular indexes for data warehouse (DW) applications and most database management systems today. This paper proposes query optimization strategies for selections using bitmaps. Both conjunctive and disjunctive selection criteria are considered. Query optimization strategies are categorized into static and dynamic. The strategies discussed are the optimal design of bitmaps, and algorithms based on tree and logical ...

11 Feature selection, perception learning, and a usability case study for text categorization

Hwee Tou Ng, Wei Boon Goh, Kok Leong Low

July 1997 ACM SIGIR Forum , Proceedings of the 20th annual international ACM SIGIR conference on Research in information development in information retrieval, Volume 31 Issue SI

Full text available:  pdf(1.45 MB)

Additional Information: full citation, references, citations, index terms

12 Text classification: Feature selection using linear classifier weights: interaction with classifica

Dunja Mladeni?, Janez Brank, Marko Grobelnik, Natasa Milic-Frayling

July 2004 Proceedings of the 27th annual international conference on Research and development in

Full text available:  pdf(318.62 KB)

Additional Information: full citation, abstract, references, index terms

This paper explores feature scoring and selection based on weights from linear classification models. These methods combine with various learning models. Our comparative analysis includes three models: Bayes, Perceptron, and Support Vector Machines (SVM) in combination with three feature weight selection methods: Information Gain, and weights from linear models, the linear SVM and Perceptron. Experiments using weights from ...

Keywords: SVM normal, feature scoring, feature selection, information retrieval, linear SVM, text representation

13 Partial behavioral reflection: spatial and temporal selection of reification

Éric Tanter, Jacques Noyé, Denis Caromel, Pierre Cointe

October 2003 ACM SIGPLAN Notices , Proceedings of the 18th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications, Volume 38 Issue 11

Full text available:  pdf(261.44 KB)

Additional Information: full citation, abstract, references, index terms


Behavioral reflection is a powerful approach for adapting the behavior of running applications. In this paper, we introduce and motivate *partial behavioral reflection*, an approach to more efficient and flexible behavioral reflection in the *spatial* and *temporal* dimensions of such reflection, and propose a model of partial behavioral reflection based on the notion of *hooksets*. In the context of Java, we describe a reflective architecture offering appropriate

Keywords: aspect-oriented programming, open systems, reflection

14 Scalable feature selection, classification and signature generation for organizing large text data into hierarchical topic taxonomies

Soumen Chakrabarti, Byron Dom, Rakesh Agrawal, Prabhakar Raghavan

August 1998 The VLDB Journal — The International Journal on Very Large Data Bases, Volume 7 Issue 4

Full text available:  pdf(281.37 KB)

Additional Information: full citation, abstract, references, index terms

We explore how to organize large text databases hierarchically by topic to aid better searching. Many corpora, such as internet directories, digital libraries, and patent databases are manually organized into hierarchies, also called *taxonomies*. Similar to indices for relational data, taxonomies make searching efficient. However, the exponential growth in the volume of on-line textual information makes it difficult to maintain such taxonomies ...

15 Document adaptation: Supporting virtual documents in just-in-time hypermedia systems

Li Zhang, Michael Bieber, David Millard, Vincent Oria

October 2004

Proceedings of the 2004 ACM symposium on Document engineering

Full text available:  pdf(707.51 KB)

Additional Information: full citation, abstract, references, index terms

Many analytical or computational applications especially legacy systems create display screens in response to user queries "dynamically" or in "real time". The documents do not exist in advance and thus hypermedia features must be generated - automatically and dynamically. Additionally the hypermedia features may have documents to be generated or re-generated. This paper focuses on the specific hypermedia support for ...

Keywords: dynamic hypermedia functionality, dynamic regeneration, integration just-in-time hypermedia, re-identification, re-location, virtual documents

16 Query optimization in star computer networks

Larry Kerschberg, Peter D. Ting, S. Bing Yao

December 1982

ACM Transactions on Database Systems (TODS), Volume 7 Issue 4

Full text available:  pdf(2.09 MB)

Additional Information: full citation, abstract, references, citations, index terms

Query processing is investigated for relational databases distributed over several computers. Minimal response-time processing strategies are presented for queries involving the select, project. These strategies depend on system parameters such as communication costs and different machine database parameters such as relation cardinality and file size; and query parameters such as estimated number of tuples in ...


Keywords: query optimization, relational database system, star computer network

17 Recompilation for debugging support in a JIT-compiler

Mustafa M. Tikir, Jeffrey K. Hollingsworth, Guei-Yuan Lueh

November 2002

ACM SIGSOFT Software Engineering Notes, Proceedings of the 2002 ACM SIGPLAN-Program analysis for software tools and engineering, Volume 28 Issue 1



Full text available:  pdf(89.55 KB)

Additional Information: full citation, abstract, references, index terms

A static Java compiler converts Java source code into a verifiably secure and compact architecture format, called Java *byte codes*. The Java byte codes can be either interpreted by a Java Virtual Machine native code by Java Just-In-Time compilers. Static Java compilers embed debug information in the code used by the source level debuggers. However, the debug information is generated for architecture and most other ...

Keywords: Java, Java virtual machine debugger interface, debug information, dynamic recompilation just-in-time compilation

- 18 Code scheduling: Integrated prepass scheduling for a Java Just-In-Time compiler on the IA-**
Tatsushi Inagaki, Hideaki Komatsu, Toshio Nakatani
March 2003 Proceedings of the international symposium on Code generation and optimization: feedback optimization

Full text available:  pdf(835.29 KB)  Publisher Site

Additional Information: full citation, abstract, references, ind

We present a new integrated prepass scheduling (IPS) algorithm for a Java Just-In-Time (JIT) co register minimization into list scheduling. We use backtracking in the list scheduling when we have available registers. To reduce the overhead of backtracking, we incrementally maintain a set of code undoing scheduling. To maximize the ILP after undoing scheduling, we select an instruction chain increase in the total execution ...

- 19 Special issue on special feature: An introduction to variable and feature selection**

Isabelle Guyon, André Elisseeff

March 2003

The Journal of Machine Learning Research, Volume 3

Full text available:  pdf(862.82 KB)

Additional Information: full citation, abstract, citations, index terms

Variable and feature selection have become the focus of much research in areas of application where hundreds of thousands of variables are available. These areas include text processing of internet expression array analysis, and combinatorial chemistry. The objective of variable selection is the prediction performance of the predictors, providing faster and more cost-effective predictors, an understanding of the ...

- 20 Register-sensitive selection, duplication, and sequencing of instructions**

Vivek Sarkar, Mauricio J. Serrano, Barbara B. Simons

June 2001

Proceedings of the 15th international conference on Supercomputing

Full text available:  pdf(235.16 KB)

Additional Information: full citation, abstract, references, index terms

In this paper, we present a new framework for *selecting*, *duplicating* and *sequencing* as to decrease register pressure. The motivation for this work is to target current high-performance processors where reductions in register pressure in the compiler lead to improved performance.

For instruction selection and duplication, a unique feature of our approach is the ability to perform transformations on intermediate-language instructions ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [n](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  Adobe Acrobat  QuickTime  Windows Media Player  Real



Subscribe Register Login
(Full Service) (Limited Service, Free)

Search: ☒ The ACM Digital Library ☐ The Guide

break-even frequency <and> Just in Time

THE ACM DIGITAL LIBRARY

Feedback Report a problem

Terms used break even frequency and Just in Time

Sort results
by

relevance

Save results to a Binder

Search Tips

☐ Open results in a new window

Try an Advanced
Try this search in

Display results

expanded form

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

Best 200 shown

¹ Continuous program optimization: A case study

Thomas Kistler, Michael Franz

July 2003 ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 25 Issue 4

Full text available: pdf(877.67 KB)

Additional Information: full citation, abstract, references, index terms, review

Much of the software in everyday operation is not making optimal use of the hardware on which the reasons for this discrepancy are hardware/software mismatches, modularization overheads in engineering considerations, and the inability of systems to adapt to users' behaviors. A solution to delay code generation until load time. This is the earliest point at which a piece of software can be made to use the capabilities of the hardware.

Keywords: Dynamic code generation, continuous program optimization, dynamic reoptimization

² The benefits and costs of DyC's run-time optimizations

Brian Grant, Markus Mock, Matthai Philipose, Craig Chambers, Susan J. Eggers

September 2000 ACM Transactions on Programming Languages and Systems (TOPLAS), Volume 22 Issue 5

Full text available: pdf(1.59 MB)

Additional Information: full citation, abstract, references, citations, index terms

DyC selectively dynamically compiles programs during their execution, utilizing the run-time compiler and data structures to apply optimizations that are based on partial evaluation. The dynamic optimizer operates at static compile time in order to reduce their run-time cost; we call this staging. DyC's staged optimizer is an advanced binding-time analysis that supports polyvariant specialization (enabling both single and multiple specializations).

Keywords: dynamic compilation, specialization

3 Power: Performance directed energy management for main memory and disks

Xiaodong Li, Zhenmin Li, Francis David, Pin Zhou, Yuanyuan Zhou, Sarita Adve, Sanjeev Kumar
October 2004 Proceedings of the 11th international conference on Architectural support for programm
operating systems

Full text available:  pdf(658.89 KB)

Additional Information: full citation, abstract, references, index terms

Much research has been conducted on energy management for memory and disks. Most studies dynamically transition devices to low power modes after they are idle for a certain threshold per algorithms used in the past have two major limitations. First, they require painstaking, applicati tuning of their thresholds to achieve energy savings without significantly degrading performance provide performance guara ...

Keywords: adaptation algorithms, control algorithms, low power design, memory and disk energ power mode device

4 The design of dynamically reconfigurable datapath coprocessors

Zhining Huang, Sharad Malik, Nahri Moreano, Guido Araujo
May 2004 ACM Transactions on Embedded Computing Systems (TECS), Volume 3 Issue 2

Full text available:  pdf(467.82 KB)


Additional Information: full citation, abstract, references, index terms

Increasing nonrecurring engineering and mask costs are making it harder to turn to hardwired a integrated circuit (ASIC) solutions for high-performance applications. The volume required to am has been increasing, making it increasingly expensive to afford ASIC solutions for medium-volum to designers seeking programmable solutions of varying sorts using these so-called programmab programmable platforms span a lar ...

Keywords: Loop pipelining, coarse-grain reconfigurable fabric, datapath synthesis, interconnecti datapath

5 Exploiting inheritance and structure semantics for effective clustering and buffering in an obje

E. E. Chang, R. H. Katz
June 1989 ACM SIGMOD Record , Proceedings of the 1989 ACM SIGMOD international conference on
Volume 18 Issue 2

Full text available:  pdf(1.21 MB)

Additional Information: full citation, abstract, references, citings, index terms

Object-oriented databases provide new kinds of data semantics in terms of inheritance and struc paper examines how to use these additional semantics to obtain more effective object buffering information collected from real-world object-oriented applications, the Berkeley CAD Group's OC basis for a simulation model with which to investigate alternative buffering and clustering strate measurement ...

6 Evaluation of eye gaze interaction

Linda E. Sibert, Robert J. K. Jacob

April 2000

Proceedings of the SIGCHI conference on Human factors in computing systems

Full text available:  pdf(903.63 KB)

Additional Information: full citation, abstract, references, citings, index terms

Eye gaze interaction can provide a convenient and natural addition to user-com have previously reported on our interaction techniques using eye gaze [10]. We seemed useful in demonstration, we now investigate their strengths and weak setting. In this paper, we present two experiments that compare an interaction developed for object selection based on a where a person is looking with the m selection method ...

Keywords: eye movements, eye tracking, interaction techniques, user interfac

7 Painting and rendering textures on unparameterized models

David (grue) DeBry, Jonathan Gibbs, Devorah DeLeon Petty, Nate Robins

July 2002

ACM Transactions on Graphics (TOG) , Proceedings of the 29th annual conference on Com interactive techniques, Volume 21 Issue 3

Full text available:  pdf(4.88 MB)

Additional Information: full citation, abstract, references, citings, index terms

This paper presents a solution for texture mapping unparameterized models. The quality of a tex limited by the model's parameterization into a 2D texture space. For models with complex topolo distributions of structural detail, finding this parameterization can be very difficult and usually m manually through a slow iterative process between the modeler and texture painter. This is espe carry no natural parameteriz ...

Keywords: level of detail algorithms, paint systems, rendering systems, spatial data structures,

8 Service infrastructure and network management: Using code collection to support large applic devices

Lucian Popa, Irina Athanasiu, Costin Raiciu, Raju Pandey, Radu Teodorescu

September 2004

Proceedings of the 10th annual international conference on Mobile computing and

Full text available:  pdf(252.95 KB)

Additional Information: full citation, abstract, references, index terms

The progress of mobile device technology unfolds a new spectrum of applications that challenges infrastructure models. Most of these devices are perceived by their users as "appliances" rather t accordingly the application management should be done transparently by the underlying system managed explicitly by the user. Memory management on such devices should consider new type involving code mobility such as mobile ...

Keywords: caching, code collection, garbage collection

9 Design space exploration and scheduling for embedded software: Leakage aware dynamic v real-time embedded systems

Ravindra Jejurikar, Cristiano Pereira, Rajesh Gupta

June 2004

Proceedings of the 41st annual conference on Design automation

Full text available:  pdf(109.61 KB)

Additional Information: full citation, abstract, references, citings, index terms

A five-fold increase in leakage current is predicted with each technology generation. While Dyna is known to reduce dynamic power consumption, it also causes increased leakage energy drain b over which a computation is carried out. Therefore, for minimization of the total energy, one nee operating point, called the *critical speed*. We compute processor slowdown factors based on the minimization. ...

Keywords: EDF scheduling, critical speed, leakage power, low power scheduling, procrastination

10 Distributed environment: A simulation model for X.500 directories: initial experiences

M. A. Bauer, J. M. Bennett, J. MacAuley, A. D. Marshall

October 1991

Proceedings of the 1991 conference of the Centre for Advanced Studies on Collaborat

Full text available:  pdf(1.32 MB)

Additional Information: full citation, abstract, references, citings


The X.500 Standard has been proposed as the basis for a directory service in distributed system as to whether it is suited to this use. This paper describes the initial work on the development of testbed to be used in investigating the behaviour of X.500 directories in large distributed environ of the testbed has been developed using the Quipu prototype implementation of X.500 and the N tool. The long-te ...

11 Effectiveness of cross-platform optimizations for a java just-in-time compiler

Kazuaki Ishizaki, Mikio Takeuchi, Kiyokuni Kawachiya, Toshio Suganuma, Osamu Gohda, Tatsushi Kazunori Ogata, Motohiro Kawahito, Toshiaki Yasue, Takeshi Ogasawara, Tamiya Onodera, Hideak Nakatani

October 2003

ACM SIGPLAN Notices , Proceedings of the 18th annual ACM SIGPLAN conference on O programming, systems, languages, and applications, Volume 38 Issue 11

Full text available:  pdf(405.65 KB)

Additional Information: full citation, abstract, references, citings, index terms

This paper describes the system overview of our Java Just-In-Time (JIT) compiler, which is the b production version of IBM Java JIT compiler that supports a diversity of processor architectures i 64-bit modes, CISC, RISC, and VLIW architectures. In particular, we focus on the design and ev cross-platform optimizations that are common across different architectures. We studied the effe optimization by selectively disabling ...


Keywords: Java, just-in-time compiler, optimization

12 A study of devirtualization techniques for a Java Just-In-Time compiler

Kazuaki Ishizaki, Motohiro Kawahito, Toshiaki Yasue, Hideaki Komatsu, Toshio Nakatani

October 2000

ACM SIGPLAN Notices , Proceedings of the 15th ACM SIGPLAN conference on Object-or systems, languages, and applications, Volume 35 Issue 10

Full text available:  pdf(225.89 KB)

Additional Information: full citation, abstract, references, citings, index terms

Many devirtualization techniques have been proposed to reduce the runtime overhead of dynam object-oriented languages, however, most of them are less effective or cannot be applied for Jav manner. This is partly because Java is a statically-typed language and thus transforming a dyna does not make a tangible performance gain (owing to the low overhead of accessing the method and partly because t ...

13 Military applications: Agent models I: frequency-based designs for terminating simulations: a example

Susan M. Sanchez, Hsin-Fu Wu

December 2003

Proceedings of the 35th conference on Winter simulation: driving innovation

Full text available:  pdf(1.46 MB)

Additional Information: full citation, abstract, references

In recent years, the U.S. Marine Corps has begun developing an infrastructure agent-based models and simulation, computing power, and data analysis and v technologies to help answer complex questions in military operations. Factor s are of particular interest, since even relatively simple agent-based models may even thousands) of inputs that can be varied. We describe a new experimental frequency-based design, that ...

14 HDR and perception: Perception-motivated high dynamic range video encoding

Rafal Mantiuk, Grzegorz Krawczyk, Karol Myszkowski, Hans-Peter Seidel

August 2004

ACM Transactions on Graphics (TOG), Volume 23 Issue 3

Full text available:  pdf(3.23 MB)

Additional Information: full citation, abstract, references, index terms

Due to rapid technological progress in high dynamic range (HDR) video capture and display, the transmission of such data is crucial for the completeness of any HDR imaging pipeline. We propo inter-frame encoding of HDR video, which is embedded in the well-established MPEG-4 video com key component of our technique is luminance quantization that is optimized for the contrast thre human visual system. The quant ...

Keywords: DCT encoding, HDR video, MPEG-4, adaptation, high dynamic range, luminance quan video compression, video processing, visual perception

15 Procrastination scheduling in fixed priority real-time systems

Ravindra Jejurikar, Rajesh Gupta

June 2004

ACM SIGPLAN Notices , Proceedings of the 2004 ACM SIGPLAN/SIGBED conference on La tools, Volume 39 Issue 7

Full text available:  pdf(115.60 KB)

Additional Information: full citation, abstract, references, citings, index terms

Procrastination scheduling has gained importance for energy efficiency due to the rapid increase consumption. Under procrastination scheduling, task executions are delayed to extend processor thereby reducing the idle energy consumption. We propose algorithms to compute the maximum for tasks scheduled by either the fixed priority or the dual priority scheduling policy. We show th always guarantees longe ...

Keywords: critical speed, fixed priority, leakage power, low power scheduling, procrastication sc systems

16 Time-space consistency in large-scale distributed virtual environments

Suiping Zhou, Wentong Cai, Bu-Sung Lee, Stephen J. Turner

January 2004 ACM Transactions on Modeling and Computer Simulation (TOMACS), Volume 14 Iss

Full text available:  pdf(111.35 KB)

Additional Information: full citation, abstract, references, index terms

Maintaining a consistent view of the simulated world among different simulation nodes is a fundamental problem in large-scale distributed virtual environments (DVEs). In this paper, we characterize this problem as time-space inconsistency in a DVE. To this end, a metric is defined to measure the time-space inconsistency. A major advantage of the metric is that it may be estimated based on some characteristic parameters: clock asynchrony, message transmission delay, and message loss.

Keywords: Consistency, dead reckoning algorithm, distributed virtual environments

17 Web technologies and applications (WTA): A learning-based approach for fetching pages in

Sharma Chakravarthy, Anoop Sanka, Jyoti Jacob, Naveen Pandrangi

March 2004 Proceedings of the 2004 ACM symposium on Applied computing

Full text available:  pdf(251.87 KB)

Additional Information: full citation, abstract, references


The World Wide Web is an omnipresent and an ever-expanding source of data. Data on the web is constantly changing. Many a times, users are interested in specific changes to the data on the web. Changes of interest, users have to poll the pages periodically and check for the changes of interest. We propose a general-purpose information monitoring and notification system. It handles the specification, identification, and propagation of changes.

Keywords: ECA rules, best-effort algorithm, change monitoring, intelligent fetching, web

18 A dynamic optimization framework for a Java just-in-time compiler

Toshio Suganuma, Toshiaki Yasue, Motohiro Kawahito, Hideaki Komatsu, Toshio Nakatani

October 2001 ACM SIGPLAN Notices, Proceedings of the 16th ACM SIGPLAN conference on Object-oriented programming systems, languages, and applications, Volume 36 Issue 11

Full text available:  pdf(2.12 MB)


Additional Information: full citation, abstract, references, citations, index terms

The high performance implementation of Java Virtual Machines (JVM) and just-in-time (JIT) compilers has been a major challenge in the field of adaptive compilation optimizations on the basis of online runtime profile information. This paper describes the implementation of a dynamic optimization framework in a production-level Java JIT compiler. Our framework consists of a mixed mode interpreter and a three level optimizing compiler, supporting quick, full, and specialized compilation which has a different trade-off between compilation time and execution time.

19 Inventory cost model for "Just-In-Time" production

Mahesh Mathur

December 1994 Proceedings of the 26th conference on Winter simulation

Full text available:  pdf(543.16 KB) Additional Information: full citation, references, index terms

20 Approximations: Sketch-based change detection: methods, evaluation, and applications

Balachander Krishnamurthy, Subhabrata Sen, Yin Zhang, Yan Chen

October 2003

Proceedings of the 3rd ACM SIGCOMM conference on Internet measurement

Full text available:  pdf(309.23 KB)

Additional Information: full citation, abstract, references, citings, index terms

Traffic anomalies such as failures and attacks are commonplace in today's network, and identifying accurately is critical for large network operators. The detection typically treats the traffic as a co to be examined for significant changes in traffic pattern (eg, volume, number of connections). H the number of flows increase, keeping per-flow state is either too expensive or too slow. We pro summaries of ...

Keywords: change detection, data stream computation, forecasting, network anomaly detection, analysis

Results 1 - 20 of 200

Result page: **1** 2 3 4 5 6 7 8 9 10 n

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 AC

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  Adobe Acrobat  QuickTime  Windows Media Player  Real